



# User's Manual

---

DARE TO LIV

## TABLE OF CONTENTS

<b><i>GXBase</i></b>	PAGE 3
<b><i>GenesisX1</i></b>	PAGE 4
<b><i>Genesis X1-A</i></b>	PAGE 7
CARING FOR YOUR LIV SWISS WATCH	PAGE 9
FAQ	PAGE 10

# GXBase User's Manual

## THE MOVEMENT

Your watch is fitted with a RONDA powertech Caliber 515.

### ▶ DESCRIPTION:

- ▶ Swiss Made
- ▶ Analog Quartz Movement
- ▶ Diameter Total: 26.00 mm
- ▶ Case Fitting: 25.60 mm
- ▶ Movement Height: 3.00 mm

### ▶ PERFORMANCE:

- ▶ Standard Battery Life: 45 Months

### ▶ DISPLAY:

- ▶ Hours-Minutes-Seconds
- ▶ Date Window

## SETTING THE TIME



### I Position of rest (watch running)

### II Quick-change correction for date

- The date can also be corrected during the day-changing phase between 10 pm and midnight.
- The date of the following day has to be set, because no automatic date change takes place at midnight.
- Pull the crown out to position II (watch still running).
- Turn the crown clockwise until the required date appears.

### III Setting the time

- Pull the crown out to position III (watch stopped).
- Turn the crown, until the current time is displayed (remember the 24-hour cycle).
- Push the crown back into position I.

# GenesisX1 User's Manual

## PARTS OF YOUR NEW WATCH


### ▶ THE MOVEMENT

The LIV GX1 Swiss Quartz Chrono features the RONDA startech Caliber 5040.D movement.

Your chronograph is fitted with a quartz movement which is powered by a battery. Its time measuring device, known as its regulator, is a quartz crystal. An electrical current makes the crystal consistently vibrate at 32,768 times per second, a very high frequency. This provides the movement with near perfect precision, meaning that it will only vary a few seconds each period. This quartz movement is made in Switzerland, and is one of the most accurate and reliable of its kind. It has outstanding resistance to magnetic fields and shocks.

### ▶ BATTERIES

The batteries for LIV - Swiss Watches quartz movements have life spans of approximately 54 months.



**A**

Hour Hand

**B**

Minute Hand

**C**

Second Hand

**D**

Date Display

**E**

Crown

**F**

30 Minute counter to chrono

**G**

Second hand to chrono

**H**

1/10 of a second hand to chrono


**I**

Start/stop function

**J**

Reset Push Button


## SETTING THE TIME



- 1 Unscrew and pull the crown out to position III.
- 2 Turn the crown to set the time.
- 3 Push the crown back to position I and tightly screw it back in.\*

\*Failure to tightly screw it back in may result in water damage.


## SETTING THE DATE




- 1 Unscrew and pull the crown out once to position II.
- 2 Turn the crown to set the date.
- 3 Push the crown back to position I and tightly screw it back in.

\*Failure to tightly screw it back in may result in water damage.

## CHRONOGRAPH DISPLAY



## ADJUSTING THE CHRONOGRAPH HANDS



# Genesis X1-A User's Manual

## THE MOVEMENT

The LIV GX1-A Swiss Automatic Watch features the accurate Sellita SW200 Swiss Movement.

---

### ▶ DESCRIPTION:

- ▶ Swiss Made
- ▶ Automatic 26 Jewels
- ▶ Height: 4.60 mm
- ▶ Diameter: 25.60 mm (1 1/2")
- ▶ Rapid date correction

---

### ▶ PERFORMANCE:

- ▶ Balance frequency: 28,800 vibrations per hour (4 Hz)
- ▶ Power reserve: 38 hours

Your watch has a power reserve of 38 hours, meaning that when fully wound and not worn it will run for approximately 38 hours before stopping.

It is important to understand what fully wound means, as some people wrongly assume that just by wearing an automatic mechanical watch it will fully wind up by itself. That is not the case. The truth is that an automatic watch needs first to be fully wound and charged up by turning the crown. Then, by wearing the watch, the automatic movement will continue to hold the charge. It gets its charging power from a rotating mass (aka Oscillating Weight) inside the watch that relies on the movement of the wrist. Less active people might find that their watch has stopped because there is not enough movement to swing the rotating mass.

Also keep in mind that when you don't wear the watch (sleeping, shower) the watch is not active, and power will decrease during that period, so over a period of time, you might need to use the crown to bring the power back up.


You may consider purchasing the LIV Watch Winder to assist you in keeping your watch healthy!

---

### ▶ DISPLAY:

- ▶ Hours – minutes – seconds
- ▶ Date window

## SETTING THE TIME & DATE



POSITION **0** Screwed in and flush with the case

POSITION **1** Unscrewed / Manual Winding Position

POSITION **2** Rapid Date Change

POSITION **3** Time change

### ▶ INSTRUCTIONS:

- ▶ Make sure that your watch is perfectly dry.
- ▶ Unscrew the crown and move it to position 1 to manually wind the watch 20 times.
- ▶ Move it to position 2 to set the date.
- ▶ Move it to position 3 to set the time.
- ▶ Avoid changing the date between 8:00 pm and 4.00 am.
- ▶ Once the changes are made, push the crown back in and screw it down against the case to preserve its water-resistance.
- ▶ When a mechanical self-winding watch is not worn for a certain amount of time, its power reserve (in this case, 38 hours) is exhausted and the watch stops. To restart it, unscrew the crown to position 1 and wind the movement manually by turning the crown 30- 40 times. This will give it a sufficient power reserve to function normally.



## CARING FOR YOUR LIV SWISS WATCH

### ▶ CLEANING

---

Clean your watch regularly as follows; this will maintain its esthetic appeal and ensure it stays in good working order.

- ▶ Ensure that the crown is completely screwed down before you get started.
- ▶ If the seals in your watch have been tested and changed within the last 12 months by LIV - Swiss Watches or an authorised LIV - Swiss Watches service center, then you may use a soft brush with mildly soapy water to clean case, then rinse it off with clear water and dry it with a soft cloth. If your watch is fitted with a fabric, alligator, leather or python skin strap, take care not to get it wet.
- ▶ If you have any doubts whatsoever about the water resistance of your watch, simply clean it with a soft brush, and then dry it.
- ▶ Avoid contact with detergents, solvents, cosmetics or any other chemical product, as these may damage the water-resistant gaskets and the bracelet.

### ▶ CONDENSATION

---

A small amount of condensation may form under the crystal of your watch if there is a sudden temperature change. This mist will disappear by itself and will not impact the watch function. If the condensation persists, please contact LIV - Swiss Watches or an authorized LIV - Swiss Watches dealer.

### ▶ WATER RESISTANCE

---

Given the nature of rubber seals, water resistance can not be a permanent condition. The rubber seals are designed to prevent water entry, however the fact that they are under constant pressure means that over time they will deteriorate. It is therefore necessary, throughout your watch's warranty coverage period, to have the water-resistance tested by LIV - Swiss Watches or an authorized LIV - Swiss Watches repair center every two years after the date of purchase. These tests are conducted free of charge. The International Warranty does not cover problems with water resistance and associated consequences if periodic water-resistance tests have not been conducted every two years following the date of purchase.

### ▶ CRYSTALS

---

The crystal in your watch may be coated with an anti-reflective treatment (single or double), to make the time more readable. Marks may appear due to normal wear and tear of the watch, and are not covered by the International Warranty. The coating will be sufficient if you use your watch normally.





### ▶ STRAPS IN LEATHER, FABRIC AND PYTHON/ALLIGATOR SKIN

---

Be sure to avoid letting the watch get into contact with water. Please note that no matter how careful you are with leather, it is a living material and its color will naturally (slightly) fade or darken over time. Leather straps should be cleaned with a dry, soft cotton cloth. Avoid any abrasive products during cleaning.

### ▶ SILICONE STRAPS

---

Since silicone attracts dust, there is an anti dust coating on the band which makes the silicone strap matte. It is normal for that coating to start coming off after approximately 6 months of everyday wear. The strap will begin to appear shiny as time progresses.

## FAQ

### ▶ Does the 1/10 of a second dial of the chrono stop after 30 seconds?

---

It only stops SPINNING after 30 secs, but it is still calculating; the indication will show once you stop/pause the stop watch.

### ▶ I've been setting the date at all times of the day and night but it always changes date at noon instead of midnight. What should I do?

---

Your watch set to PM instead of AM – it's a 12 hour clock. So for example, your 11 AM is set to 11 PM. The date changes between 11 PM and 1 AM. You simply need to bring the time forward by 12 hours.

### ▶ How do I get the full effect of the luminescence on my watch?

---

In order to get the full effect of the luminescence, the watch needs to be in direct sunlight for at least 3 hours.